

```
# SOME DESCRIPTIVE TITLE.
# Copyright (C) YEAR THE PACKAGE'S COPYRIGHT HOLDER
# This file is distributed under the same license as the PACKAGE package.
# FIRST AUTHOR <EMAIL@ADDRESS>, YEAR.
#
#, fuzzy
msgid ""
msgstr ""
"Project-Id-Version: PACKAGE VERSION\n"
"Report-Msgid-Bugs-To: \n"
"POT-Creation-Date: 2023-06-01 10:10+0200\n"
"PO-Revision-Date: YEAR-MO-DA HO:MI+ZONE\n"
"Last-Translator: FULL NAME <EMAIL@ADDRESS>\n"
"Language-Team: LANGUAGE <LL@li.org>\n"
"Language: \n"
"MIME-Version: 1.0\n"
"Content-Type: text/plain; charset=CHARSET\n"
"Content-Transfer-Encoding: 8bit\n"

msgid "Common module for shell scripts"
msgstr ""

msgid "give a short usage message"
msgstr ""

msgid "give this help list"
msgstr ""

msgid "print program version"
msgstr ""

msgid ""
"The computer now uses only the battery for power.\n"
"\n"
"It is recommended to connect the computer to the wall socket."
msgstr ""

msgid "Press the Enter key to continue [Enter]: "
msgstr ""

msgid "Already performed by the administrator."
msgstr ""

#, sh-format
msgid ""
"Text output $display_name ?ltline %lt?L of %L.:byte %bB?s of %s..? .?e "
"(END) :?pB %pB\\%. .(press h for help or q to quit)"
msgstr ""

#, sh-format
msgid "Type '$display_name --usage' for more information."
msgstr ""

#, sh-format
msgid "Program $program_name encountered an error."
msgstr ""

#, sh-format
msgid "Program $program_name has been interrupted."
msgstr ""

msgid ""
"If the package manager gives apt errors, launch a Terminal window and run:"
msgstr ""
```

```

#, sh-format
msgid ""
"Type 'man $display_name' or see the \\e]8;;man:$program_name(1)\\e\\"
"$display_name man page\\e]8;;\\e\\" for more information."
msgstr ""

#, sh-format
msgid "Type '$display_name --help' for more information."
msgstr ""

#, sh-format
msgid ""
"Written by Karel Zimmer <info@karelzimmer.nl>, CC0 1.0 Universal\\n"
"<https://creativecommons.org/publicdomain/zero/1.0/>, $program_year"
msgstr ""

#, sh-format
msgid "Information $display_name"
msgstr ""

#, sh-format
msgid "Warning $display_name"
msgstr ""

#, sh-format
msgid "Error message $display_name"
msgstr ""

msgid "Common module for Python scripts"
msgstr ""

msgid "Wait {}s for another package manager to finish..."
msgstr ""

msgid "Program {} has been interrupted."
msgstr ""

msgid "type '{}' --usage' for more information"
msgstr ""

msgid ""
"Usage: {} [OPTION...]\\n"
"\\n"
"{}.\\n"
"\\n"
"Options:\\n"
"  -h, --help      give this help list\\n"
"  -u, --usage     give a short usage message\\n"
"  -v, --version   print program version\\n"
"\\n"
"Type 'man {}' or see the #]8;;man:{{(1)}#\\{}} man page#]8;;#\\ for more "
"information."
msgstr ""

msgid ""
"Usage: {} [-h|--help] [-u|--usage] [-v|--version]\\n"
"\\n"
"Type '{}' --help' for more information."
msgstr ""

msgid ""
"{} (kz) 365 ({})\n"
"\\n"

```

```
"Written by Karel Zimmer <info@karelzimmer.nl>, CC0 1.0 Universal\n"
"<https://creativecommons.org/publicdomain/zero/1.0/>, {}"
msgstr ""

msgid "{}: i am a module"
msgstr ""

msgid "Run command"
msgstr ""

#, sh-format
msgid ""
"Usage: $display_name COMMAND [ARGUMENT...]\n"
"  or: $display_name [-l|--list] [-u|--usage] [-h|--help] [-v|--version]"
msgstr ""

#, sh-format
msgid ""
"Usage: $display_name COMMAND [ARGUMENT...]\n"
"  or: $display_name OPTION"
msgstr ""

msgid ""
"Options:\n"
"  -l, --list      show available COMMANDs"
msgstr ""

msgid ""
"Arguments:\n"
"  COMMAND        execute COMMAND\n"
"  ARGUMENT       ARGUMENTs for COMMAND"
msgstr ""

msgid "invalid option"
msgstr ""

msgid "command does not exist"
msgstr ""

msgid ""
"The following COMMANDs are available:\n"
"\n"
"  COMMAND"
msgstr ""

msgid "To execute a COMMAND:"
msgstr ""

msgid "Make backup"
msgstr ""

#, sh-format
msgid ""
"Usage: $display_name [-d|--dry-run] [-g|--gui] [-t|--target DIRECTORY]\n"
"  $options_usage"
msgstr ""

#, sh-format
msgid "Usage: $display_name [OPTION...]"
msgstr ""

msgid "Options:"
msgstr ""
```

```
msgid "perform a test run without making any changes"
msgstr ""

msgid "starts in graphics mode"
msgstr ""

msgid ""
"-t, --target DIRECTORY\n"
"                put backup in DIRECTORY"
msgstr ""

msgid "too many options"
msgstr ""

#, sh-format
msgid "File name must start with '$program_name-'.\n"
msgstr ""

msgid "arguments are not allowed"
msgstr ""

msgid "directory does not exist"
msgstr ""

#, sh-format
msgid ""
"No USB medium found.\n"
"\n"
"Connect a USB medium."
msgstr ""

#, sh-format
msgid ""
"Connect only one USB medium.\n"
"\n"
"Now connected:\n"
"$medium\n"
"\n"
"Disconnect media via Files."
msgstr ""

msgid "Secure settings"
msgstr ""

msgid "Settings"
msgstr ""

msgid "Background"
msgstr ""

msgid "Favorites"
msgstr ""

msgid ""
"[1/3] These packages are installed via Add or Remove Programs, with a "
"command\n"
"such as 'sudo apt --install <package|file>', or with kz install:"
msgstr ""

msgid ""
"[2/3] These snaps are installed via Add or Remove Programs,\n"
"with '[sudo] install <snap>', or with kz install:"
msgstr ""
```

```
msgid ""
"[3/3] These repositories are added with the installation of a package, with\n"
" the command 'sudo add-apt-repository ppa:<ppa-user>/<ppa-name>', or\n"
" with kz install:"
msgstr ""

msgid "Userphoto"
msgstr ""

msgid "snap is not installed"
msgstr ""

msgid "Preparing backup (this may take a while)"
msgstr ""

msgid "Writing data from temporary memory (this may take a while)"
msgstr ""

msgid "The backup has NOT been created (DRY RUN)."
```

```
#, sh-format
msgid ""
"Backup ended with warnings or errors.\n"
"\n"
"Some files may not be readable,\n"
"or were any files added or removed while creating the backup,\n"
"or is there not enough space on $target.\n"
"The maximum exit value is $maxrc.\n"
"Check the log in the next screen."
msgstr ""

msgid "Disconnect the USB media"
msgstr ""

msgid "The USB medium can be removed."
msgstr ""

msgid "Disconnect the USB medium yourself (safely!)."
```

```
msgstr ""

msgid "The backup has been made."
msgstr ""

msgid "Build package kz"
msgstr ""

#, sh-format
msgid "Usage: $display_name $options_usage"
msgstr ""

msgid "Build - final"
msgstr ""

msgid "Deploy"
msgstr ""

msgid "Check - pre"
msgstr ""

msgid "Check - post"
msgstr ""

msgid "Fix all the messages above."
```

```
msgstr ""

msgid "Check scripts (kz check)..."
msgstr ""

msgid "Build website..."
msgstr ""

msgid "Generate .mo file..."
msgstr ""

msgid "Build package..."
msgstr ""

msgid "Install package..."
msgstr ""

msgid "Distribute kz package"
msgstr ""

msgid "Check that all repos are on branch main..."
msgstr ""

#, sh-format
msgid "Repo $repo not on branch main."
msgstr ""

msgid "Check that all repos are clean..."
msgstr ""

#, sh-format
msgid "Repo $repo is not clean."
msgstr ""

msgid "Build package and website (kz build)..."
msgstr ""

msgid "Upload website (lftp)..."
msgstr ""

msgid "Website upload failed."
msgstr ""

msgid "Install package kz (kz getdeb)..."
msgstr ""

msgid "Install package kz failed."
msgstr ""

msgid "Install package kz (may take a while)..."
msgstr ""

#, sh-format
msgid "Wait ${dpkg_wait}s for another package manager to finish..."
msgstr ""

msgid "Install kz package"
msgstr ""

msgid "Download"
msgstr ""

msgid "Install"
msgstr ""
```

```

msgid "Finished"
msgstr ""

msgid ""
"Package kz has been successfully installed.\n"
"\n"
"Now follow the steps as described\n"
"in the Checklist installation.\n"
"\n"
"Checklist installation can be found\n"
"on the site https://karelzimmer.nl,\n"
"under Linux.\n"
"\n"
"Type 'exit' to close this window."
msgstr ""

msgid "Build development environment"
msgstr ""

msgid "Check"
msgstr ""

msgid "Build"
msgstr ""

msgid "Check dependencies..."
msgstr ""

msgid "Pull repos (gitpull)..."
msgstr ""

msgid "Status repos (gitstat)..."
msgstr ""

msgid "Download website (lftp)..."
msgstr ""

msgid "Password for"
msgstr ""

msgid "Website download failed."
msgstr ""

msgid "Change GUI"
msgstr ""

#, sh-format
msgid ""
"Usage: $display_name [-a|--addfavaf FAVORITE] [-b|--addfavbef FAVORITE]\n"
"          [-d|--delfav FAVORITE] [-l|--list] [-r|--resetfavs]\n"
"          [-f|--addappfolder APPFOLDER] [-x|--delappfolder APPFOLDER]\n"
"          $options_usage"
msgstr ""

msgid ""
" -a, --addfavaf FAVORITE\n"
"          add FAVORITE at the end\n"
" -b, --addfavbef FAVORITE\n"
"          add FAVORITE at the beginning\n"
" -d, --delfav FAVORITE\n"
"          delete FAVORITE\n"
" -l, --list      show favorites and app folders\n"
" -r, --resetfavs\n"

```

```

"                reset favorites\n"
" -f, --addappfolder APPFOLDER\n"
"                add APPFOLDER\n"
" -x, --delappfolder APPFOLDER\n"
"                delete APPFOLDER"
msgstr ""

msgid "Now make the change in the graphical workspace."
msgstr ""

#, sh-format
msgid "Config database content captured ($fase)."
msgstr ""

msgid ""
"CHANGES in the configuration database,\n"
"< is the old setting (A),\n"
"> is the new setting (B):"
msgstr ""

#, sh-format
msgid "When CHANGES execute: ${blue}gsettings set CHANGE${normal}"
msgstr ""

msgid "Install apps"
msgstr ""

#, sh-format
msgid ""
"Usage: $display_name [-a|--apps] [-c|--cat] [-f|--file FILE] [-g|--gui]\n"
"                [-l|--list] [-r|--remove] [--server] [-s|--simulate]\n"
"                $options_usage\n"
"                [--] [APP...]"
msgstr ""

#, sh-format
msgid "Usage: $display_name [OPTION...] [APP...]"
msgstr ""

msgid "show list of available apps"
msgstr ""

msgid "show contents of file"
msgstr ""

msgid ""
" -f, --file FILE\n"
"                process FILE"
msgstr ""

msgid "show list of standard files"
msgstr ""

msgid "delete apps"
msgstr ""

msgid "install apps for a server"
msgstr ""

msgid "show commands"
msgstr ""

msgid ""
"Arguments:\n"

```



```
" APP          install APPs"
msgstr ""

msgid "Prepare to install"
msgstr ""

msgid "app not found"
msgstr ""

#, sh-format
msgid "Type '$display_name --apps' for available apps."
msgstr ""

#, sh-format
msgid "No install file found, looked for $inputfile."
msgstr ""

msgid ""
"The following APPs are available:\n"
"\n"
" APP"
msgstr ""

msgid " 0 No apps found."
msgstr ""

msgid "To install the APPs run:"
msgstr ""

msgid "To simulate installing APPs execute:"
msgstr ""

msgid "To view the contents of the APPs installation file execute:"
msgstr ""

msgid ""
"The following FILEs are available:\n"
"\n"
" FILE"
msgstr ""

#, sh-format
msgid " 0 No files present."
msgstr ""

#, sh-format
msgid "To process FILE execute: ${blue}$display_name --file FILE${normal}"
msgstr ""

#, sh-format
msgid ""
"To view the commands of FILE execute: ${blue}$display_name --cat --file "
"FILE${normal}"
msgstr ""

#, sh-format
msgid ""
"To simulate the processing of FILE execute: ${blue}$display_name --simulate "
"--file FILE${normal}"
msgstr ""

msgid "install"
msgstr ""
```

```
msgid "remove"
msgstr ""

msgid " simulate"
msgstr ""

msgid "busy"
msgstr ""

msgid "err."
msgstr ""

msgid " ok "
msgstr ""

msgid "No commands to execute."
msgstr ""

#, sh-format
msgid ""
"One or more commands went wrong.\n"
"The maximum exit value is $maxrc.\n"
"Check the log in the next screen."
msgstr ""

#, sh-format
msgid "Apps $operation completed."
msgstr ""

msgid "Checking scripts"
msgstr ""

msgid "    Unknown script. Function check_code cannot check script code."
msgstr ""

#, sh-format
msgid "    A line is longer than $max_line_length ($max_line_length_found)."
msgstr ""

msgid "Faulty line(s) found."
msgstr ""

msgid "    Flagged annotation found."
msgstr ""

msgid "Continue? [Y/n]: "
msgstr ""

msgid "    End spaces found."
msgstr ""

msgid "Installation menu"
msgstr ""

#, sh-format
msgid "Usage: $display_name [-g|--gui] $options_usage"
msgstr ""

msgid "Preparing installation"
msgstr ""

msgid "Perform installation"
msgstr ""
```

msgid "Finish installation"
msgstr ""

msgid "Provision user"
msgstr ""

msgid "Commands menu"
msgstr ""

msgid "Stop"
msgstr ""

msgid "Checklist chapter 1"
msgstr ""

msgid "Checklist chapter 2"
msgstr ""

msgid "Checklist chapter 3"
msgstr ""

msgid "Checklist chapter 4"
msgstr ""

msgid "Used commands"
msgstr ""

msgid "Exit menu"
msgstr ""

msgid "Show WiFi information"
msgstr ""

msgid "Add users"
msgstr ""

msgid "Restore backup"
msgstr ""

msgid "Set user photo"
msgstr ""

msgid "Set up apps"
msgstr ""

msgid "Preparing to set up"
msgstr ""

msgid "Back"
msgstr ""

msgid "Manually"
msgstr ""

msgid "Previous menu"
msgstr ""

msgid "Select a choice:"
msgstr ""

msgid "Continue"
msgstr ""

msgid "Exit"

```
msgstr ""

msgid "Choice"
msgstr ""

msgid "No."
msgstr ""

msgid "Action"
msgstr ""

msgid "Explanation"
msgstr ""

msgid "Command"
msgstr ""

#, sh-format
msgid "Run number [1-$menu1_lines]: "
msgstr ""

#, sh-format
msgid "Run number [1-$menu2_lines]: "
msgstr ""

#, sh-format
msgid "Cannot handle this choice ($REPLY)."
msgstr ""

msgid ""
"Follow the steps as described in Checklist installation, Chapter 2.\n"
"Checklist installation can be found on the site https://karelzimmer.nl,\n"
"under Linux.\n"
"\n"
"Roughly boils down to:\n"
"1. Download an image file (.iso).\n"
"2. Create a bootable Live USB stick or DVD.\n"
"3. Boot the computer from this USB stick or DVD.\n"
"4. Install Linux."
msgstr ""

msgid "The following will be executed:"
msgstr ""

msgid "Proceed?"
msgstr ""

msgid "Yes"
msgstr ""

msgid "No"
msgstr ""

#, sh-format
msgid "$prompt [Y/n]: "
msgstr ""

msgid ""
"The following steps to add extra users are optional.\n"
"\n"
"1. Press the Super key[1], type 'user' and click behind Settings on Users.\n"
"2. Click Unlock and enter password.\n"
"3. Click Add User.\n"
"4. Choose Account Type Standard or Admin.\n"

```

```

"5. Complete the screen and click Add.\n"
"6. Close the Users screen.\n"
"\n"
"[1] The Super key is the Windows key, Command key (Apple), or Magnifier key "
"(Chromebook)."
```

msgstr ""

```

msgid ""
"1. Press the Super key[1], type 'user' and click behind Settings on Users.\n"
"2. Click the image for the user.\n"
"3. Click Select a file.\n"
"4. Select Userphoto in Personal folder / Settings.\n"
"5. Close the Users screen.\n"
"\n"
"[1] The Super key is the Windows key, Command key (Apple), or Magnifier key "
"(Chromebook)."
```

msgstr ""

```

msgid "No user photo was found when backing up."
msgstr ""
```

```

msgid "The following has been executed:"
msgstr ""
```

```

#, sh-format
msgid "Usage: $display_name [-d|--dry-run] [-g|--gui] [-s|--source DIRECTORY]"
msgstr ""
```

```

msgid ""
" -s, --source DIRECTORY\n"
"          use backup in DIRECTORY"
msgstr ""
```

```

#, sh-format
msgid ""
"No backup found on connected USB medium.\n"
"\n"
"Connect a USB medium with the directory backup-$HOSTNAME-$USER."
msgstr ""
```

```

msgid "Restore settings"
msgstr ""
```

```

msgid "Preparing restore (this can take a while)"
msgstr ""
```

```

#, sh-format
msgid ""
"Restore ended with warnings or errors.\n"
"\n"
"Some files may not be readable,\n"
"or were any files added or removed while restoring the backup,\n"
"or is there not enough space on $target.\n"
"The maximum exit value is $maxrc.\n"
"Check the log in the next screen."
msgstr ""
```

```

msgid "The backup was NOT restored (DRY RUN)."
msgstr ""
```

```

msgid "The backup has been restored."
msgstr ""
```

```

#, sh-format
```

```
msgid ""
"Usage: $display_name [-a|--apps] [-c|--cat] [-f|--file FILE] [-g|--gui]\n"
"          [-l|--list] [-r|--reset] [--server] [-s|--simulate]\n"
"          $options_usage\n"
"          [--] [APP...]"
msgstr ""

msgid "set apps on default values"
msgstr ""

msgid ""
"Arguments:\n"
"  APP          setup APPs"
msgstr ""

msgid "setup apps for a server"
msgstr ""

#, sh-format
msgid "No set up file found, looked for $inputfile."
msgstr ""

msgid "To setup the APPs run:"
msgstr ""

msgid "To simulate resetting APPs execute:"
msgstr ""

msgid "To view the contents of the APPs setup file execute:"
msgstr ""

msgid "set up"
msgstr ""

msgid "reset"
msgstr ""

msgid "Update system"
msgstr ""

msgid "Repair"
msgstr ""

msgid "Update"
msgstr ""

msgid "Snap refresh..."
msgstr ""

msgid "Cleanup"
msgstr ""

msgid "Snap cleanup..."
msgstr ""

msgid ""
"*** The computer must restart to complete the installation of updates ***"
msgstr ""

msgid "Record this data to connect to the wireless network later."
msgstr ""

msgid "WiFi data:"
msgstr ""
```

```
msgid "No WiFi device found."
msgstr ""

msgid "Execute IVP"
msgstr ""

#, sh-format
msgid "Script $scriptname returned an error."
msgstr ""

#, sh-format
msgid "Message catalog $dir/kz.mo not found."
msgstr ""

#, sh-format
msgid "Desktop configuration file $dir/$scriptname.desktop not found."
msgstr ""

#, sh-format
msgid "Tab completion script $dir/$scriptname not found."
msgstr ""

#, sh-format
msgid "Manual $dir/$scriptname.1.gz not found."
msgstr ""

#, sh-format
msgid ""
"PolicyKit action definition file $dir/nl.karelzimmer.$scriptname.policy not "
"found."
msgstr ""

msgid "Run IVP (kz ivp)..."
msgstr ""

msgid "Check website (rchecklink)..."
msgstr ""

msgid "Authentication is required to install apps"
msgstr ""

msgid "Make a backup copy of the Home folder"
msgstr ""

msgid "Cockpit"
msgstr ""

msgid "Cockpit Web App"
msgstr ""

msgid "Spotify"
msgstr ""

msgid "Spotify Web App"
msgstr ""

msgid "Skype"
msgstr ""

msgid "Skype Web App"
msgstr ""

msgid "Teams"
```

```
msgstr ""

msgid "Teams Web App"
msgstr ""

msgid "Telegram"
msgstr ""

msgid "Telegram Web App"
msgstr ""

msgid "Webmin"
msgstr ""

msgid "Webmin Web App"
msgstr ""

msgid "WhatsApp"
msgstr ""

msgid "WhatsApp Web App"
msgstr ""

msgid "Zoom"
msgstr ""

msgid "Zoom Web App"
msgstr ""

msgid "Install apps and changes system settings"
msgstr ""

msgid "Installation helper"
msgstr ""

msgid "Run commands through a menu"
msgstr ""

msgid "Restores a backup copy of the Home folder"
msgstr ""

msgid "Set up apps and change user settings"
msgstr ""

msgid "Start HugoWin732"
msgstr ""

msgid "Start VirtualBox VM hugowin732"
msgstr ""

msgid ""
"Mandatory arguments to long options are mandatory for short options too."
msgstr ""

msgid "signals the end of options and disables further option processing"
msgstr ""
```