

```

# shellcheck shell=bash
#####
# Instelbestand voor Debian 11 LTS desktop op pc07 voor karel.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 evolution (e-mail)
kz-gset --delfav=org.gnome.Evolution
#2 kz-gset --addfavbef=org.gnome.Evolution

#1 firefox (webbrowser)
kz-gset --delfav=firefox-esr
#2 kz-gset --addfavbef=firefox-esr

#1 gnome (bureaubladomgeving)
gsettings set org.gnome.desktop.background picture-uri
"file://$HOME/kz-data/Achtergrond"
gsettings set org.gnome.desktop.screensaver picture-uri
"file://$HOME/kz-data/Achtergrond"
gsettings set org.gnome.desktop.sound allow-volume-above-100-percent true
gsettings set org.gnome.nautilus.preferences show-create-link true
gsettings set org.gnome.settings-daemon.plugins.power sleep-inactive-ac-type
nothing
#2 gsettings reset org.gnome.background picture-uri
#2 gsettings reset org.gnome.screensaver picture-uri
#2 gsettings reset org.gnome.sound allow-volume-above-100-percent
#2 gsettings reset org.gnome.nautilus.preferences show-create-link
#2 gsettings reset org.gnome.settings-daemon.plugins.power sleep-inactive-ac-
type

#1 kvm (virtualisatie)
kz-gset --addfavaft=virt-manager
#2 kz-gset --delfav=virt-manager

#1 terminal (terminalvenster)
kz-gset --addfavbef=org.gnome.Terminal
## Aliassen aanzetten.
sed --in-place --expression='s/#alias/alias/g' "$HOME"/.bashrc
## Vooruit zoeken in history met Ctrl-S).
sed --in-place --expression='/^stty -ixon/d' "$HOME"/.bashrc
echo 'stty -ixon # Enable fwd search history (i-search)' >> "$HOME"/.bashrc
## Gebruiksvriendelijke viewer voor Info-documenten (en man-pagina's).
sed --in-place --expression='/^alias info=/d' "$HOME"/.bashrc
echo 'alias info=pinfo # Gebruiksvriendelijke viewer voor Info-documenten' >>
"$HOME"/.bashrc
#2 kz-gset --delfav=org.gnome.Terminal
#2 sed --in-place --expression='s/alias/#alias/g' "$HOME"/.bashrc
#2 sed --in-place --expression='/^stty -ixon/d' "$HOME"/.bashrc
#2 sed --in-place --expression='/^alias info=/d' "$HOME"/.bashrc

#1 vscode (editor)
kz-gset --addfavbef=code_code
xdg-mime default code_code.desktop application/json # JSON document
xdg-mime default code_code.desktop application/x-desktop # Bureaublad-
configuratiebestand
xdg-mime default code_code.desktop application/x-shellscript # Bash-script
xdg-mime default code_code.desktop application/xml # PolicyKit
actiedefinitiebestand
xdg-mime default code_code.desktop text/html # Web-pagina
xdg-mime default code_code.desktop text/markdown # Markdown
document
xdg-mime default code_code.desktop text/troff # Man-pagina
#2 kz-gset --delfav=code_code

```

```

#1 webmin (browsergebaseerd beheer)
## https://localhost:10000
cp /usr/share/applications/kz-webmin.desktop "$HOME"/.local/share/applications/
sed --in-place --expression='s/NoDisplay=true/NoDisplay=false/'
"$HOME"/.local/share/applications/kz-webmin.desktop
kz-gset --addfavaft=kz-webmin
#2 kz-gset --delfav=kz-webmin
# shellcheck shell=bash
#####
# Instelbestand voor Debian 11 LTS desktop.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 bitwarden (wachtwoordbeheer)
kz-gset --addfavaft=bitwarden_bitwarden
#2 kz-gset --delfav=bitwarden_bitwarden

#1 citrix (telewerken)
## Aka Citrix Workspace app, Citrix Receiver, ICA Client.
xdg-mime default wfica.desktop application/x-ica

#1 google-chrome (webbrowser)
kz-gset --addfavbef=google-chrome
#2 kz-gset --delfav=google-chrome

#1 gnome (bureaubladomgeving)
kz-gset --addappfolder --folder='KZ Scripts'
gnome-extensions enable dash-to-dock@micxgx.gmail.com
gsettings set org.gnome.desktop.calendar show-weekdate true
gsettings set org.gnome.desktop.interface clock-show-date true
gsettings set org.gnome.desktop.interface clock-show-weekday true
gsettings set org.gnome.desktop.interface show-battery-percentage true
gsettings set org.gnome.desktop.peripherals.touchpad tap-to-click true
gsettings set org.gnome.desktop.screensaver lock-enabled false
gsettings set org.gnome.desktop.session idle-delay 600
gsettings set org.gnome.nautilus.icon-view default-zoom-level 'large'
gsettings set org.gnome.nautilus.preferences click-policy 'single'
gsettings set org.gnome.settings-daemon.peripherals.touchscreen orientation-lock
true
gsettings set org.gnome.settings-daemon.plugins.color night-light-enabled true
gsettings set org.gnome.settings-daemon.plugins.media-keys max-screencast-length
0
gsettings set org.gnome.settings-daemon.plugins.power idle-dim false
gsettings set org.gnome.settings-daemon.plugins.power power-button-action
'interactive'
gsettings set org.gnome.shell.extensions.dash-to-dock apply-custom-theme true
gsettings set org.gnome.shell.extensions.dash-to-dock click-action 'minimize-or-
previews'
gsettings set org.gnome.shell.extensions.dash-to-dock dash-max-icon-size 32
gsettings set org.gnome.shell.extensions.dash-to-dock dock-fixed true
gsettings set org.gnome.shell.extensions.dash-to-dock extend-height true
gsettings set org.gnome.shell.extensions.dash-to-dock icon-size-fixed true
#2 kz-gset --delappfolder --folder='KZ Scripts'
#2 gnome-extensions disable dash-to-dock@micxgx.gmail.com
#2 gsettings reset org.gnome.app-folders folder-children
#2 gsettings reset org.gnome.calendar show-weekdate
#2 gsettings reset org.gnome.desktop.interface clock-show-date
#2 gsettings reset org.gnome.desktop.interface clock-show-weekday
#2 gsettings reset org.gnome.desktop.interface show-battery-percentage
#2 gsettings reset org.gnome.nautilus.icon-view default-zoom-level
#2 gsettings reset org.gnome.nautilus.preferences click-policy
#2 gsettings reset org.gnome.peripherals.touchpad tap-to-click

```

```

#2 gsettings reset org.gnome.screensaver lock-enabled
#2 gsettings reset org.gnome.settings-daemon.peripherals.touchscreen
orientation-lock
#2 gsettings reset org.gnome.settings-daemon.plugins.color night-light-enabled
#2 gsettings reset org.gnome.settings-daemon.plugins.media-keys max-screencast-
length
#2 gsettings reset org.gnome.settings-daemon.plugins.power idle-dim
#2 gsettings reset org.gnome.settings-daemon.plugins.power power-button-action
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock apply-custom-theme
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock click-action
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock dash-max-icon-size
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock dock-fixed true
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock extend-height true
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock icon-size-fixed true
#2 gsettings set org.gnome.shell.extensions.dash-to-dock dock-fixed

#1 skype (beeldbellen)
kz-gset --addfavaft=skype_skypeforlinux
#2 kz-gset --delfav=skype_skypeforlinux

#1 spotify (muziekspeler)
kz-gset --addfavaft=spotify_spotify
#2 kz-gset --delfav=spotify_spotify

#1 teams (samenwerken)
kz-gset --addfavaft=teams
#2 kz-gset --delfav=teams

#1 zoom (samenwerken)
kz-gset --addfavaft=Zoom
#2 kz-gset --delfav=Zoom
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc01 voor karel.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 firefox (webbrowser)
kz-gset --delfav=firefox_firefox
#2 kz-gset --addfavbef=firefox_firefox

#1 gnome (bureaubladomgeving)
gsettings set org.gnome.desktop.background picture-uri
"file://$HOME/kz-data/Achtergrond"
gsettings set org.gnome.shell.extensions.dash-to-dock dash-max-icon-size 32
#2 gsettings reset org.gnome.desktop.background picture-uri
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock dash-max-icon-size

#1 terminal (terminalvenster)
kz-gset --addfavbef=org.gnome.Terminal
## Vooruit zoeken in history met Ctrl-S).
sed --in-place --expression='/^stty -ixon/d' "$HOME"/.bashrc
echo 'stty -ixon # Enable fwd search history (i-search)' >> "$HOME"/.bashrc
## Gebruiksvriendelijke viewer voor Info-documenten (en man-pagina's).
sed --in-place --expression='/^alias info=/d' "$HOME"/.bashrc
echo 'alias info=pinfo # Gebruiksvriendelijke viewer voor Info-documenten' >>
"$HOME"/.bashrc
#2 kz-gset --delfav=org.gnome.Terminal
#2 sed --in-place --expression='/^stty -ixon/d' "$HOME"/.bashrc
#2 sed --in-place --expression='/^alias info=/d' "$HOME"/.bashrc

#1 thunderbird (e-mail)
kz-gset --delfav=thunderbird

```

```

#2 kz-gset --addfavbef=thunderbird

#1 vscode (editor)
kz-gset --addfavbef=code_code
xdg-mime default code_code.desktop application/json # JSON document
xdg-mime default code_code.desktop application/x-desktop # Bureaublad-
configuratiebestand
xdg-mime default code_code.desktop application/x-shellscript # Bash-script
xdg-mime default code_code.desktop application/xml # PolicyKit
actiedefinitiebestand
xdg-mime default code_code.desktop text/html # Web-pagina
xdg-mime default code_code.desktop text/markdown # Markdown
document
xdg-mime default code_code.desktop text/troff # Man-pagina
#2 kz-gset --delfav=code_code
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc01 voor monique.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 firefox (webbrowser)
kz-gset --delfav=firefox_firefox
#2 kz-gset --addfavbef=firefox_firefox

#1 gnome (bureaubladomgeving)
gsettings set org.gnome.desktop.background picture-uri
"file://$HOME/kz-data/Achtergrond"
gsettings set org.gnome.shell.extensions.dash-to-dock dash-max-icon-size 32
#2 gsettings reset org.gnome.desktop.background picture-uri
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock dash-max-icon-size

#1 thunderbird (e-mail)
kz-gset --delfav=thunderbird
#2 kz-gset --addfavbef=thunderbird
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc02 voor marin.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc03 voor evi.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc04 voor nina.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 calibre (e-boekmanager)
kz-gset --addfavaft=calibre-gui
#2 kz-gset --delfav=calibre-gui

#1 gnome (bureaubladomgeving)
gsettings set org.gnome.desktop.background picture-uri
"file://$HOME/kz-data/Achtergrond"
#2 gsettings reset org.gnome.desktop.background picture-uri

```

```

#1 libreoffice-calc (spreadsheet van LibreOffice)
kz-gset --addfavaft=libreoffice-calc
#2 kz-gset --delfav=libreoffice-calc

#1 thunderbird (e-mail)
kz-gset --delfav=thunderbird
#2 kz-gset --addfavbef=thunderbird
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc04 voor ruben.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc05 voor carl.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc06 voor karel.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 cockpit (browsergebaseerd beheer)
#2 https://localhost:9090
cp /usr/share/applications/kz-cockpit.desktop "$HOME"/.local/share/applications/
sed --in-place --expression='s/NoDisplay=true/NoDisplay=false/'
"$HOME"/.local/share/applications/kz-cockpit.desktop
kz-gset --addfavaft=kz-cockpit
#2 rm "$HOME"/.local/share/applications/kz-cockpit.desktop
#2 kz-gset --delfav=kz-cockpit

#1 firefox (webbrowser)
kz-gset --delfav=firefox_firefox
#2 kz-gset --addfavbef=firefox_firefox

#1 gnome (bureaubladomgeving)
gsettings set org.gnome.desktop.background picture-uri
"file://$HOME/kz-data/Achtergrond"
gsettings set org.gnome.desktop.sound allow-volume-above-100-percent true
gsettings set org.gnome.nautilus.preferences show-create-link true
gsettings set org.gnome.shell.extensions.dash-to-dock dash-max-icon-size 32
#2 gsettings reset org.gnome.desktop.background picture-uri1
#2 gsettings reset org.gnome.desktop.sound allow-volume-above-100-percent
#2 gsettings reset org.gnome.nautilus.preferences show-create-link
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock dash-max-icon-size

#1 kvm (virtualisatie)
kz-gset --addfavaft=virt-manager
#2 kz-gset --delfav=virt-manager

#1 terminal (terminalvenster)
kz-gset --addfavbef=org.gnome.Terminal
## Vooruit zoeken in history met Ctrl-S).
sed --in-place --expression='/^stty -ixon/d' "$HOME"/.bashrc
echo 'stty -ixon # Enable fwd search history (i-search)' >> "$HOME"/.bashrc
## Gebruiksvriendelijke viewer voor Info-documenten (en man-pagina's).
sed --in-place --expression='/^alias info=/d' "$HOME"/.bashrc
echo 'alias info=pinfo # Gebruiksvriendelijke viewer voor Info-documenten' >>
"$HOME"/.bashrc
#2 kz-gset --delfav=org.gnome.Terminal

```

```

#2 sed --in-place --expression='/^stty -ixon/d' "$HOME"/.bashrc
#2 sed --in-place --expression='/^alias info=/d' "$HOME"/.bashrc

#1 thunderbird (e-mail)
kz-gset --delfav=thunderbird
#2 kz-gset --addfavbef=thunderbird

#1 vscode (editor)
kz-gset --addfavbef=code_code
xdg-mime default code_code.desktop application/json # JSON document
xdg-mime default code_code.desktop application/x-desktop # Bureaublad-
configuratiebestand
xdg-mime default code_code.desktop application/x-shellscript # Bash-script
xdg-mime default code_code.desktop application/xml # PolicyKit
actiedefinitiebestand
xdg-mime default code_code.desktop text/html # Web-pagina
xdg-mime default code_code.desktop text/markdown # Markdown
document
xdg-mime default code_code.desktop text/troff # Man-pagina
#2 kz-gset --delfav=code_code
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc-van-ella voor ella.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 bitwarden (wachtwoordbeheer)
kz-gset --delfav=bitwarden_bitwarden
#2 kz-gset --addfavaft=bitwarden_bitwarden

#1 firefox (webbrowser)
## Zou er al moeten zijn, voor de zekerheid toegevoegd.
kz-gset --addfavbef=firefox_firefox
#2 kz-gset --delfav=firefox_firefox

#1 gnome (bureaubladomgeving)
gsettings set org.gnome.desktop.background picture-uri
"file://$HOME/kz-data/Achtergrond"
#2 gsettings reset org.gnome.desktop.background picture-uri

#1 google-chrome (webbrowser)
kz-gset --delfav=google-chrome
#2 kz-gset --addfavbef=google-chrome

#1 skype (beeldbellen)
kz-gset --delfav=skype_skypeforlinux
#2 kz-gset --addfavaft=skype_skypeforlinux

#1 spotify (muziekspeler)
kz-gset --delfav=spotify_spotify
#2 kz-gset --addfavaft=spotify_spotify

#1 teams (samenwerken)
kz-gset --delfav=teams
#2 kz-gset --addfavaft=teams

#1 zoom (samenwerken)
kz-gset --delfav=Zoom
#2 kz-gset --addfavaft=Zoom
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc-van-emily voor emily.
#

```

```

# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 gnome (bureaubladomgeving)
gsettings set org.gnome.desktop.background picture-uri
"file://$HOME/kz-data/Achtergrond"
#2 gsettings reset org.gnome.desktop.background picture-uri
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc-van-hugo voor hugo.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 gnome (bureaubladomgeving)
gsettings set org.gnome.desktop.background picture-uri
"file://$HOME/kz-data/Achtergrond"
gsettings set org.gnome.settings-daemon.plugins.power power-button-action
'suspend'
#2 gsettings reset org.gnome.desktop.background picture-uri
#2 gsettings reset org.gnome.settings-daemon.plugins.power power-button-action

#1 telegram (privéberichtenapp)
kz-gset --addfavaft=telegram-desktop_telegram-desktop
#2 kz-gset --delfav=telegram-desktop_telegram-desktop

#1 virtualbox (virtualisatie)
kz-gset --addfavaft=virtualbox
cp /usr/bin/kz-vm-hugowin732.sh "$HOME"
chmod u+x "$HOME"/kz-vm-hugowin732.sh
cp /usr/share/applications/kz-vm-hugowin732.desktop
"$HOME"/.local/share/applications/
sed --in-place --expression='s/NoDisplay=true/NoDisplay=false/'
"$HOME"/.local/share/applications/kz-vm-hugowin732.desktop
kz-gset --addfavaft=kz-vm-hugowin732
#2 rm "$HOME"/.local/share/applications/kz-vm-hugowin732.desktop
#2 rm "$HOME"/kz-vm-hugowin732.sh
#2 kz-gset --delfav=virtualbox
#2 kz-gset --delfav=kz-vm-hugowin732
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop op pc-van-soe voor soe.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 gnome (bureaubladomgeving)
gsettings set org.gnome.desktop.background picture-uri
"file://$HOME/kz-data/Achtergrond"
#2 gsettings reset org.gnome.desktop.background picture-uri
# shellcheck shell=bash
#####
# Instelbestand voor Ubuntu 22.04 LTS desktop.
#
# Geschreven door Karel Zimmer <info@karelzimmer.nl>.
#####

#1 bitwarden (wachtwoordbeheer)
kz-gset --addfavaft=bitwarden_bitwarden
#2 kz-gset --delfav=bitwarden_bitwarden

#1 citrix (telewerken)
## Aka Citrix Workspace app, Citrix Receiver, ICA Client.
xdg-mime default wfica.desktop application/x-ica

```

```
#1 google-chrome (webbrowser)
kz-gset --addfavbef=google-chrome
#2 kz-gset --delfav=google-chrome

#1 gnome (bureaubladomgeving)
kz-gset --addappfolder='KZ Scripts'
gsettings set org.gnome.desktop.calendar show-weekdate true
gsettings set org.gnome.desktop.interface clock-show-date true
gsettings set org.gnome.desktop.interface clock-show-weekday true
gsettings set org.gnome.desktop.interface show-battery-percentage true
gsettings set org.gnome.desktop.peripherals.touchpad tap-to-click true
gsettings set org.gnome.desktop.screensaver lock-enabled false
gsettings set org.gnome.desktop.session idle-delay 600
gsettings set org.gnome.nautilus.icon-view default-zoom-level 'large'
gsettings set org.gnome.nautilus.preferences click-policy 'single'
gsettings set org.gnome.settings-daemon.peripherals.touchscreen orientation-lock
true
gsettings set org.gnome.settings-daemon.plugins.color night-light-enabled true
gsettings set org.gnome.settings-daemon.plugins.power idle-dim false
gsettings set org.gnome.settings-daemon.plugins.power power-button-action
'interactive'
gsettings set org.gnome.settings-daemon.plugins.power sleep-inactive-ac-type
'nothing'
gsettings set org.gnome.settings-daemon.plugins.power sleep-inactive-battery-
type 'nothing'
gsettings set org.gnome.shell.extensions.dash-to-dock click-action 'minimize-or-
previews'
gsettings set org.gnome.shell.extensions.dash-to-dock show-mounts-network false
gsettings set org.gnome.shell.extensions.ding show-home false
gsettings set org.gnome.Terminal.Legacy.Settings theme-variant light
#2 kz-gset --delappfolder='KZ Scripts'
#2 gsettings reset org.gnome.desktop.app-folders folder-children
#2 gsettings reset org.gnome.desktop.calendar show-weekdate
#2 gsettings reset org.gnome.desktop.interface clock-show-date
#2 gsettings reset org.gnome.desktop.interface clock-show-weekday
#2 gsettings reset org.gnome.desktop.interface show-battery-percentage
#2 gsettings reset org.gnome.desktop.peripherals.touchpad tap-to-click
#2 gsettings reset org.gnome.desktop.screensaver lock-enabled
#2 gsettings reset org.gnome.desktop.session idle-delay
#2 gsettings reset org.gnome.nautilus.icon-view default-zoom-level
#2 gsettings reset org.gnome.nautilus.preferences click-policy
#2 gsettings reset org.gnome.settings-daemon.peripherals.touchscreen
orientation-lock
#2 gsettings reset org.gnome.settings-daemon.plugins.color night-light-enabled
#2 gsettings reset org.gnome.settings-daemon.plugins.power idle-dim
#2 gsettings reset org.gnome.settings-daemon.plugins.power power-button-action
#2 gsettings reset org.gnome.settings-daemon.plugins.power sleep-inactive-ac-
type
#2 gsettings reset org.gnome.settings-daemon.plugins.power sleep-inactive-
battery-type
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock click-action
#2 gsettings reset org.gnome.shell.extensions.dash-to-dock show-mounts-network
#2 gsettings reset org.gnome.shell.extensions.ding show-home
#2 gsettings reset org.gnome.Terminal.Legacy.Settings theme-variant

#1 skype (beeldbellen)
kz-gset --addfavaft=skype_skypeforlinux
#2 kz-gset --delfav=skype_skypeforlinux

#1 spotify (muziekspeler)
kz-gset --addfavaft=spotify_spotify
#2 kz-gset --delfav=spotify_spotify
```



```
#1 teams (samenwerken)
kz-gset --addfavaft=teams
#2 kz-gset --delfav=teams
```

```
#1 zoom (samenwerken)
kz-gset --addfavaft=Zoom
#2 kz-gset --delfav=Zoom
```